

### 8.1.10 fedoragsearch/WEB-INF/classes/config/fedoragsearch.properties

```
# $Id: fedoragsearch.properties 5719 2006-10-13 14:17:53Z gertsp $

#fedoragsearch.soapBase      = PROTOCOL://SOAPHOSTPORT/WEBAPPNAME/AXISSERVLETNAME #from web.xml
#fedoragsearch.soapBase      = http://localhost:8080/fedoragsearch/services
fedoragsearch.soapBase      = http://fcl.to.cnr.it:8080/fedoragsearch/services
fedoragsearch.soapUser      = fedoraAdmin
fedoragsearch.soapPass      = password

fedoragsearch.deployFile = CONFIGPATH/deploy.wsdd

#rest
fedoragsearch.defaultNoXslt      = copyXml
fedoragsearch.defaultUpdateIndexRestXslt      = demoUpdateIndexToHtml
fedoragsearch.defaultGfindObjectsRestXslt      = demoGfindObjectsToHtml
fedoragsearch.defaultBrowseIndexRestXslt      = demoBrowseIndexToHtml
fedoragsearch.defaultGetRepositoryInfoRestXslt      = demoGetRepositoryInfoToHtml
fedoragsearch.defaultGetIndexInfoRestXslt      = demoGetIndexInfoToHtml

#resultPage
fedoragsearch.maxPageSize      = 50
fedoragsearch.defaultBrowseIndexTermPageSize      = 20
fedoragsearch.defaultGfindObjectsHitPageSize      = 10
#fedoragsearch.defaultGfindObjectsSnippetsMax      = 0 means no snippet generation
fedoragsearch.defaultGfindObjectsSnippetsMax      = 3
#fedoragsearch.defaultGfindObjectsFieldMaxLength      = 0 means no max length
fedoragsearch.defaultGfindObjectsFieldMaxLength = 100

#fedoragsearch.mimeTypes      = text/plain text/html application/pdf -potential
#fedoragsearch.mimeTypes      = text/plain text/html application/pdf -supported
fedoragsearch.mimeTypes      = text/plain text/html application/pdf

#fedoragsearch.repositoryNames      = MyRep1 MyRepN configured in config/repository/MyRepI
fedoragsearch.repositoryNames      = gsearch_solr

#fedoragsearch.indexNames      = MyIndex1 MyIndexN configured in config/index/MyIndexI
fedoragsearch.indexNames      = gsearch_solr

# Configuration of updates through Fedora notifications. If this
# property is removed updates through notifications are disabled.
#
#fedoragsearch.updaterNames      = MyUpdaters1 MyUpdatersN configured in config/updater/MyUpdaters
fedoragsearch.updaterNames      = BasicUpdaters
```

### 8.1.11 fedoragsearch/WEB-INF/classes/config/repository/gsearch\_solr/repository.properties

```
# $Id: repository.properties 5732 2006-11-27 15:26:04Z gertsp $

fgsrepository.repositoryName      = gsearch_solr

fgsrepository.fedoraSoap      = http://fcl.to.cnr.it:8080/fedora/services
fgsrepository.fedoraUser      = fedoraAdmin
fgsrepository.fedoraPass      = password
fgsrepository.fedoraObjectDir      = /srv/storage/data/objectStore
fgsrepository.fedoraVersion      = 3.5

fgsrepository.defaultGetRepositoryInfoResultXslt = copyXml

fgsrepository.trustStorePath      = /usr/local/fedora/server/truststore
fgsrepository.trustStorePass      = tomcat
```