

```

<IndexLongName>Index on Solr at fcl.to.cnr.it</IndexLongName>
<EngineUrl>http://lucene.apache.org/</EngineUrl>
<EngineShortName>Solr</EngineShortName>
<EngineLongName>Apache Lucene project</EngineLongName>
<EngineDescription>The Apache Solr project develops open-source search software.</EngineDescription>
<EngineTags>solr lucene apache open-source search software</EngineTags>
<EngineImage>http://solr.apache.org/solr_green_300.gif</EngineImage>
<QueryLanguage>See e.g. http://lucene.apache.org/java/docs/queryparsersyntax.html</QueryLanguage>
<SampleSearch>dc.title:fedora AND dc.creator:"thornton staples"</SampleSearch>
<IndexFieldNameList>PID, repositoryName,<BR/>
    property.label, property.contentModel, property.createdDate,<BR/>
    property.lastModifiedDate, property.state, property.type,<BR/>
    dc.creator, dc.date, dc.description, dc.format, dc.identifier,<BR/>
    dc.publisher, dc.relations, dc.right, dc.source,<BR/>
    dc.subject, dc.title,<BR/>
    DS2.text,<BR/>
    others depending on the indexing stylesheet.
</IndexFieldNameList>
<EngineDeveloper>Apache Lucene Solr project</EngineDeveloper>
<EngineContact>info@lucene.apache.org/solr</EngineContact>
<EngineAttribution>The Apache Lucene Solr project © 2005, The Apache Lucene Solr project,
All Rights Reserved</EngineAttribution>
</indexInfo>
</resultPage>

```

8.1.18 fedoragsearch/WEB-INF/classes/config/repository/gsearch_solr/repositoryInfo.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<resultPage>
  <repositoryInfo>
    <RepositoryShortName>To.CNR.IT</RepositoryShortName>
    <RepositoryLongName>Fedora Repository _at_ To.CNR.IT</RepositoryLongName>
    <RepositoryDeveloper>Ufficio IT Ceris CNR</RepositoryDeveloper>
    <RepositoryContact>g.birello@ceris.cnr.it</RepositoryContact>
  </repositoryInfo>
</resultPage>

```

8.1.19 /var/lib/tomcat6/webapps/iiv/tocnr_viewer.jsp

```

<?xml version="1.0" encoding="ISO-8859-1" ?>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>ToCNR IIV Image Viewer: ${param.pid}</title>
<style>
html, body {margin: 0; padding: 0; }
</style>
</head>
<body style="margin: 0;">
<!-- begin iiv code -->
<script src="/iiv/js/OpenLayers-2.7/OpenLayers.js"></script>
<script src="/iiv/js/jquery-1.3.2.min.js"></script>
<script src="/iiv/js/jquery-ui-1.7.2.custom.min.js"></script>
<script src="/iiv/js/tocnr.js"></script>
<script>

document.write('<div class="iiv"></div>');
$(document).ready(function() {
    var viewer = new iiv.Viewer({
        pid: '${param.pid}',
        cmodel: '${param.cmodel}',
        dsid: 'JP2',
        uid: '${param.uid}')
    });
</script>
<!-- end iiv code -->
</body>
</html>

```

8.1.20 /var/lib/tomcat6/webapps/iiv/tocnr_page_viewer.jsp

```

<?xml version="1.0" encoding="ISO-8859-1" ?>
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
<title>ToCNR IIV Image Viewer: ${param.pid}</title>
<style>
html, body {margin: 0; padding: 0; }
</style>
</head>
<body style="margin: 0;">
<!-- begin iiv code -->
<script src="/iiv/js/OpenLayers-2.7/OpenLayers.js"></script>
<script src="/iiv/js/jquery-1.3.2.min.js"></script>
<script src="/iiv/js/jquery-ui-1.7.2.custom.min.js"></script>
<script src="/iiv/js/tocnr.js"></script>
<script>

document.write('<div class="iiv"></div>');
$(document).ready(function() {

    var viewer = new iiv.Viewer({
        pid: '${param.pid}',

```