

```

        array(
            '!microservices' => 1("Fedora Microservices", 'https://github.com/Islandora/fedora_microservices'),
            '!mods' => 1('MODS', 'http://www.loc.gov/standards/mods/'),
        )
    );
}
}

```

8.2.3 sites/all/modules/islandora_solution_pack_book/xsl/tocnr_book_view.xsl

```

<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet xmlns:xsl="http://www.w3.org/1999/XSL/Transform" version="1.0">

    <xsl:variable name="OBJECTSPAGE">
        <xsl:value-of select="$objectsPage"/>
    </xsl:variable>
    <xsl:variable name="PID">
        <xsl:value-of select="$pid"/>
    </xsl:variable>
    <xsl:variable name="MODELLO">
        <xsl:value-of select="$modello"/>
    </xsl:variable>
    <xsl:variable name="RECORDID">
        <xsl:value-of select='substring-after($PID,":")' />
    </xsl:variable>
    <xsl:variable name="COLLEZIONEID">
        <xsl:value-of select='substring-before($PID,":")' />
    </xsl:variable>

<xsl:template match="/">

    <table cellpadding="3" cellspacing="2" valign="top" >
        <tr>
            <td valign="top">
                <img>
                    <xsl:attribute name="src"><xsl:copy-of
select="$OBJECTSPAGE"/>fedora/repository/<xsl:copy-of select="$PID"/>/TN
                    </xsl:attribute>
                </img>
            </td>
            <td >
                <div style="align:left"><table cellpadding="3" cellspacing="2" width="90%" >
                    <tbody>
                        <tr><th colspan="3"><h3>Dublin Core - MetaData </h3></th>
                        </tr>
                    </tbody>
                </table>
            </td >
        <tr>
            <xsl:variable name="FULLFIELD" select="name()"/>
            <xsl:variable name="FIELD" select="substring-after(name(),':')"/>
            <xsl:variable name="DATA" select="text()"/>

            <xsl:if test="$DATA != ''">
                <td>
                    <strong><xsl:value-of select="substring-after(name(),':')"/></strong></td>
                    <td><xsl:value-of select="text()"/>
                        <xsl:for-each select="*>
                            <div>
                                <xsl:value-of select="substring-after(name(),':')"/> = <xsl:value-of select="text()"/>
                            </div>
                        </xsl:for-each>
                    </td>
                </td>
            <!--
                <td><a href="{$baseUrl}/search/fedora_repository/dc.{${FIELD}}:{${DATA}}"></a></td>
            -->
                </tr>
            <xsl:if>

                </xsl:for-each>
            </tbody>
        <tr><th colspan="3"><h3></h3></th></tr>
        <tr><th colspan="3"><h3>Download</h3></th></tr>
        <xsl:if test="$MODELLO = 'info:fedora/islandora:bookCModel'">
            <tr>
                <td><strong>Full PDF</strong></td>
                <td><a href="http://fc1.to.cnri.it:8080/fedora/objects/
                ${PID}/datastreams/PDF/content">PDF</a></td> -->
                <td><a href="{$OBJECTSPAGE}fedora/repository/(${PID})/PDF/
                ${COLLEZIONEID}_(${RECORDID}).pdf">PDF</a></td>
            </tr>
            <xsl:if>

                <xsl:if test="$MODELLO = 'info:fedora/islandora:pageCModel'">
                    <tr>
                        <td><strong>HD TIFF</strong></td>
                        <td><a href="{$OBJECTSPAGE}fedora/repository/(${PID})/TIFF/
                        ${COLLEZIONEID}_(${RECORDID}).tif">TIFF</a></td>
                    </tr>
                    <xsl:if>
                        <td><strong>TEXT</strong></td>
                        <td><a href="{$OBJECTSPAGE}fedora/repository/(${PID})/OCR/
                        ${COLLEZIONEID}_(${RECORDID}).txt">TXT</a></td>
                    </xsl:if>
                </xsl:if>
            </xsl:if>
        </xsl:if>
    </table></div>
</td>

```